





WhatsUp Gold: w drodze po pełną kontrolę nad wydajnością infrastruktury IT.

Tomasz Domalewski,
Business Development Manager




 **Progress***WhatsUp*Gold

Wykryj i napraw problemy szybciej
dzięki **WhatsUp Gold**



Funkcje WhatsUp Gold ...


Wykrywanie




Inventaryzacja oraz jej monitoring

Device	Description	Vendor	Contact	IP address	Serial Number
UT-Cisco172	ipswitch.com	Cisco	The USA Red	172.16.81.1	FC0C811840 (34919207)
UT-Cisco200	ipswitch.com	Cisco	Brandon Giles	172.16.81.24	FC01000752
UT-Cisco248		Cisco	Brandon Giles	172.16.81.66	J48051488R
UT-Cisco1100		Cisco		172.16.81.43	
UT-Cisco406		Cisco	UTDA	172.16.81.11	FC04040107
UT-Cisco3102		Megar	Brandon Giles	172.16.81.17	2041C7400033
UT-Lincolnt02000		Cisco	Brandon Giles	172.16.81.45	76200000002
UT-Dele324		Del	Brandon Giles	172.16.81.53	TW000407042044066C
UT-Dele324		Del	Brandon Giles	172.16.81.58	CH4389338206474230
UT-Dele324		Del	Brandon Giles	172.16.81.54	TW0004070420380048
UT-Dele324		Del	Brandon Giles	172.16.81.59	CH4389338206474230
UT-Ente42		Ente	Brandon Giles	172.16.81.69	0500050322
UT-Netiga04P3M7205		Megar	Brandon Giles	172.16.81.47	000F8508C035
UT-Netiga04G52747		Megar	Brandon Giles	172.16.81.82	239306010059
UT-Ente11		Ente	Brandon Giles	172.16.81.90	05100124400E
UT-Atto24M		Atto	Brandon Giles	172.16.81.102	A03800071300339
UT-Atto104E		Atto	Brandon Giles	172.16.81.103	00040107
UT-Atto324		Atto	Brandon Giles	172.16.81.104	00040607801


Monitorowanie statusów i wydajności



Reportowanie



Mapowanie 2 Warstwy



Alarmowanie

Mon 4/4/2016 5:57 AM

WhatsUpGold@YourDomain.com

To: Barnaby Worrad

We removed extra line breaks from this message.

Application IntSE-WUG163-SQL is in Down state.

Details:
Application is hosted on IntSE-WUG02

Triggering component's name: WhatsUp Database Size (KB) Triggering component's description: Monitors the cumulative size (in kilobytes) of all the data files in the database including any automatic growth. Monitoring this counter is useful, for example, for determining the correct size of tempdb.

Triggering component's current state: Down Triggering component's current value: 103380032

Triggering component's previous state: Warning Triggering component's previous value: 10380032

Triggering component's threshold configuration:
Warning: Value > 750000 for 3 polls
Down: Value > 1000000 for 3 polls

Triggering component's status report: <http://localhost/NmConsole/APM/Status/Component/353>

This message was sent on 03/04/2016 at 08:56:43 PM Ipswitch WhatsUp Gold





Oraz...


Monitorowanie i Mapowanie Sieci bezprzewodowych

Mapowanie i Monitorowanie maszyn wirtualnych


Monitorowanie IT za pomocą jednorodnego dashboardu




Monitoring Chmury




Manager Konfiguracji




Log Manager





Analiza Ruchu



Monitoring Wydajności Aplikacji



Mapowanie



Zarządzanie konfiguracjami urządzeń sieciowych

Archiwizuj różne wersje, odzyskaj wcześniejsze, wykryj i alertuj o zmianach, zarządzaj ochroną i kontroluj zgodność z przepisami, konfiguruj zmiany masowe

Archive Compare

Device: QA-2901 Select Device...


Archive: running-config (02/25/2019, 12:31 PM)

Differences: 6

```
197|ip http timeout-policy idle 60 life 86400 requests 10
198|ip flow-export version 9
199|ip flow-export destination 192.168.3.47 9996
200|!
201|ip route 0.0.0.0 0.0.0.0 172.16.58.3
202|ip route 172.16.56.32 255.255.255.224 172.16.56.1
203|!
204|ip sla auto discovery
205|ip sla responder
206|ip sla 200
207|voip ntp 172.16.58.1 source-voice-port 16384 codec g
208|ip sla schedule 200 life forever start-time now
209|ip sla 300
210|udp-jitter 172.16.58.23 16384 codec g711alaw
211|tag test
212|ip sla schedule 300 life forever start-time now
213|access-list 100 permit ip any host 192.168.2.17
214|!
215|!
216|snmp-server engineID remote 172.16.42.120 123456789A
217|snmp-server user user7 QAnoAuth v3
218|snmp-server group QA v3 auth
219|snmp-server group QA v3 priv
220|!
```


Configuration Management Policy Library	
Name	Description
CISCO CISP (PCI)	protect credit card holder data
CISCO FISMA	security management act
CISCO HIPAA	privacy of medical records
CISCO SOX	maintain accurate and reliable financial records
JUNIPER CISP (PCI)	protect credit card holder data
JUNIPER FISMA	security management act
JUNIPER HIPAA	privacy of medical records
JUNIPER SOX	maintain accurate and reliable financial records
FOUNDRY CISP (PCI)	protect credit card holder data
FOUNDRY FISMA	security management act
FOUNDRY HIPAA	privacy of medical records
FOUNDRY SOX	maintain accurate and reliable financial records
Logging buffered	

Manager Logów




Log Viewer 10000+ records found

Event Time ↓	Device	Computer/Host Name	Log Type	Severity Type	Level	Message
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Information	Informational	M270-BAKOTECH https-proxy[3038]: msg_id="2CFF-0004" Allow VLAN10 External-1-NETIA tcp 10.0.10.142 40.10
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Information	Informational	M270-BAKOTECH https-proxy[3037]: msg_id="2CFF-0007" Allow VLAN10 External-1-NETIA tcp 10.0.10.122 52.111
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0148" Allow Firebox VLAN30 72 udp 20 64 10.0.30.1 10.0.30.10 10988!
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0148" Allow Firebox External-2-T-MOBILE 48 icmp 20 64 192.168.8.103
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0148" Allow Firebox External-1-NETIA 48 icmp 20 64 89.171.34.202 172
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Information	Informational	M270-BAKOTECH https-proxy[3039]: msg_id="2CFF-0000" Allow VLAN10 External-1-NETIA tcp 10.0.10.142 52.146
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Information	Informational	M270-BAKOTECH firewall: msg_id="3000-0151" Allow VLAN10 External-1-NETIA udp 10.0.10.245 172.217.20.162
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0148" Allow Firebox VLAN30 67 udp 20 64 10.0.30.1 10.0.30.10 6490 5!
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0148" Deny VLAN50 VLAN30 56 udp 20 63 10.0.50.10 10.0.30.10 42509 53 (Unhandled Internal Packet-00)
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0149" Allow VLAN80 External-1-NETIA 355 tcp 20 127 10.0.80.151 54.72.80.221 53355 443 offset 5 A 4146276558 win ...
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Information	Informational	M270-BAKOTECH https-proxy[3037]: msg_id="2CFF-0004" Allow VLAN10 External-1-NETIA tcp 10.0.10.142 52.97.152.210 59532 443 msg="ProxyAllow: HTTPS c...
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0148" Allow Firebox VLAN30 66 udp 20 64 10.0.30.1 10.0.30.10 19034 53 (Any From Firebox-00)
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Information	Informational	M270-BAKOTECH firewall: msg_id="3000-0151" Allow VLAN10 External-1-NETIA udp 10.0.10.245 142.250.150.155 50254 443 app_id="190" app_cat_id="14" sig_...
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0149" Allow VLAN80 VLAN80 60 icmp 20 254 10.0.80.247 10.0.81.158 8 0 id=1 seq=50714 app_name="ICMP" cat_nam_...
> 04/01/2021 10:22:51 am	M270-BAKOTECH	10.0.80.1	syslog	Warning	Warning	M270-BAKOTECH firewall: msg_id="3000-0149" Allow VLAN80 VLAN80 60 icmp 20 254 10.0.80.247 10.0.81.160 8 0 id=1 seq=50715 app_name="ICMP" cat_nam_...
> 04/01/2021 10:22:50 am	M270-BAKOTECH	10.0.80.1	syslog	Information	Informational	M270-BAKOTECH https-proxy[3039]: msg_id="2CFF-0000" Allow VLAN10 External-1-NETIA tcp 10.0.10.200 195.35.80.18 59083 443 msg="HTTPS Request" proxy...



Dashboard raportowania

- Drag and drop
- Customizowalne
- Setki predefiniowanych raportów
- Elastyczny layout
- Filtrowanie wg. Czasu i typu







Dlaczego przestawać na tym...



...skoro możesz mieć to?



WhatsUp Gold w ocenie rynku



Dziękuję

Tomasz Domalewski

tomasz.domalewski@bakotech.com

+48 600 269 990